

# FOR TEACHERS ONLY

The University of the State of New York

REGENTS HIGH SCHOOL EXAMINATION

## INTEGRATED ALGEBRA

Wednesday, January 26, 2011 — 1:15 to 4:15 p.m., only

### SCORING KEY AND RATING GUIDE

#### Mechanics of Rating

The following procedures are to be followed for scoring student answer papers for the Regents Examination in Integrated Algebra. More detailed information about scoring is provided in the publication *Information Booklet for Scoring the Regents Examinations in Mathematics*.

Use only *red* ink or *red* pencil in rating Regents papers. Do *not* attempt to correct the student's work by making insertions or changes of any kind. Use check marks to indicate student errors.

Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

Each student's answer paper is to be scored by a minimum of three mathematics teachers. On the back of the student's detachable answer sheet, raters must enter their initials in the boxes next to the questions they have scored and also write their name in the box under the heading "Rater's/Scorer's Name."

Raters should record the student's scores for all questions and the total raw score on the student's detachable answer sheet. Then the student's total raw score should be converted to a scale score by using the conversion chart that will be posted on the Department's web site <http://www.p12.nysed.gov/osa/> on Wednesday, January 26, 2011. The student's scale score should be entered in the box provided on the student's detachable answer sheet. The scale score is the student's final examination score.

## Part I

Allow a total of 60 credits, 2 credits for each of the following. Allow credit if the student has written the correct answer instead of the numeral 1, 2, 3, or 4.

(1) 1	(9) 1	(17) 3	(25) 4
(2) 4	(10) 2	(18) 1	(26) 1
(3) 3	(11) 4	(19) 2	(27) 1
(4) 3	(12) 1	(20) 2	(28) 2
(5) 4	(13) 3	(21) 3	(29) 3
(6) 1	(14) 4	(22) 2	(30) 1
(7) 2	(15) 2	(23) 2	
(8) 2	(16) 4	(24) 3	

Updated information regarding the rating of this examination may be posted on the New York State Education Department's web site during the rating period. Check this web site <http://www.p12.nysed.gov/osa/> and select the link "Examination Scoring Information" for any recently posted information regarding this examination. This site should be checked before the rating process for this examination begins and several times throughout the Regents examination period.

## General Rules for Applying Mathematics Rubrics

### I. General Principles for Rating

The rubrics for the constructed-response questions on the Regents Examination in Integrated Algebra are designed to provide a systematic, consistent method for awarding credit. The rubrics are not to be considered all-inclusive; it is impossible to anticipate all the different methods that students might use to solve a given problem. Each response must be rated carefully using the teacher's professional judgment and knowledge of mathematics; all calculations must be checked. The specific rubrics for each question must be applied consistently to all responses. In cases that are not specifically addressed in the rubrics, raters must follow the general rating guidelines in the publication *Information Booklet for Scoring the Regents Examinations in Mathematics*, use their own professional judgment, confer with other mathematics teachers, and/or contact the State Education Department for guidance. During each Regents examination administration period, rating questions may be referred directly to the Education Department. The contact numbers are sent to all schools before each administration period.

### II. Full-Credit Responses

A full-credit response provides a complete and correct answer to all parts of the question. Sufficient work is shown to enable the rater to determine how the student arrived at the correct answer.

When the rubric for the full-credit response includes one or more examples of an acceptable method for solving the question (usually introduced by the phrase "such as"), it does not mean that there are no additional acceptable methods of arriving at the correct answer. Unless otherwise specified, mathematically correct alternative solutions should be awarded credit. The only exceptions are those questions that specify the type of solution that must be used; e.g., an algebraic solution or a graphic solution. A correct solution using a method other than the one specified is awarded half the credit of a correct solution using the specified method.

### III. Appropriate Work

*Full-Credit Responses:* The directions in the examination booklet for all the constructed-response questions state: "Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc." The student has the responsibility of providing the correct answer **and** showing how that answer was obtained. The student must "construct" the response; the teacher should not have to search through a group of seemingly random calculations scribbled on the student paper to ascertain what method the student may have used.

*Responses With Errors:* Rubrics that state "Appropriate work is shown, but ..." are intended to be used with solutions that show an essentially complete response to the question but contain certain types of errors, whether computational, rounding, graphing, or conceptual. If the response is incomplete; i.e., an equation is written but not solved or an equation is solved but not all of the parts of the question are answered, appropriate work has **not** been shown. Other rubrics address incomplete responses.

### IV. Multiple Errors

*Computational Errors, Graphing Errors, and Rounding Errors:* Each of these types of errors results in a 1-credit deduction. Any combination of two of these types of errors results in a 2-credit deduction. No more than 2 credits should be deducted for such mechanical errors in any response. The teacher must carefully review the student's work to determine what errors were made and what type of errors they were.

*Conceptual Errors:* A conceptual error involves a more serious lack of knowledge or procedure. Examples of conceptual errors include using the incorrect formula for the area of a figure, choosing the incorrect trigonometric function, or multiplying the exponents instead of adding them when multiplying terms with exponents. A response with one conceptual error can receive no more than half credit.

If a response shows repeated occurrences of the same conceptual error, the student should not be penalized twice. If the same conceptual error is repeated in responses to other questions, credit should be deducted in each response.

If a response shows two (or more) different major conceptual errors, it should be considered completely incorrect and receive no credit.

If a response shows one conceptual error and one computational, graphing, or rounding error, the teacher must award credit that takes into account both errors; i.e., awarding half credit for the conceptual error and deducting 1 credit for each mechanical error (maximum of two deductions for mechanical errors).

## Part II

For each question, use the specific criteria to award a maximum of two credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(31) [2] 5, and appropriate work is shown.

[1] Appropriate work is shown, but one computational error is made.

*or*

[1] Appropriate work is shown, but one conceptual error is made.

*or*

[1] 5, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(32) [2]  $\frac{1375}{1600}$  or an equivalent answer, and appropriate work is shown.

[1] Appropriate work is shown, but one computational error is made.

*or*

[1] Appropriate work is shown, but one conceptual error is made.

*or*

[1] Appropriate work is shown, but  $\frac{225}{1600}$  (the complement of the correct answer) or an equivalent answer is found.

*or*

[1] Appropriate work is shown to find 1375, the area of the unshaded portion, but no further correct work is shown.

*or*

[1]  $\frac{1375}{1600}$  or an equivalent answer, but no work is shown.

[0] The areas of the squares are calculated correctly, but no further correct work is shown.

*or*

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(33) [2] 2.1, and appropriate work is shown.

[1] Appropriate work is shown, but one computational or rounding error is made.

*or*

[1] Appropriate work is shown, but one conceptual error is made, such as using an incorrect trigonometric function.

*or*

[1]  $\cos 65 = \frac{x}{5}$  or an equivalent equation is written, but no further correct work is shown.

*or*

[1] 2.1, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

---

### Part III

For each question, use the specific criteria to award a maximum of three credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(34) [3]  $y = \frac{3}{4}x + 10$ , and appropriate work is shown.

[2] Appropriate work is shown, but one computational error is made.

[1] Appropriate work is shown, but two or more computational errors are made.

*or*

[1] Appropriate work is shown, but one conceptual error is made.

*or*

[1]  $y - 4 = \frac{3}{4}(x + 8)$  is written, but no further correct work is shown.

*or*

[1]  $y = \frac{3}{4}x + 10$ , but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (35) [3] The frequency table is completed correctly, and a correct frequency histogram is drawn with the axes labeled.
- [2] The frequency table is completed correctly, but one graphing or labeling error is made in the frequency histogram.
- or*
- [2] The frequency table is completed incorrectly, but an appropriate frequency histogram is drawn and labeled.
- [1] The frequency table is completed correctly, but two or more graphing or labeling errors are made in the frequency histogram.
- or*
- [1] Appropriate work is shown, but one conceptual error is made.
- or*
- [1] The frequency table is completed incorrectly, and one graphing or labeling error is made in the frequency histogram.
- or*
- [1] The frequency table is completed correctly, but no further correct work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (36) [3] 4 and  $-5$ , and appropriate algebraic work is shown.
- [2] Appropriate work is shown, but one computational or factoring error is made.
- or*
- [2] Appropriate work is shown, but only one solution is found.
- [1] Appropriate work is shown, but two or more computational or factoring errors are made.
- or*
- [1] Appropriate work is shown, but one conceptual error is made.
- or*
- [1] An incorrect quadratic equation of equal difficulty is solved appropriately.
- or*
- [1]  $x^2 + x - 20 = 0$  or an equivalent equation is written, but no further correct work is shown.
- or*
- [1] 4 and  $-5$ , but a method other than algebraic is used.
- or*
- [1] 4 and  $-5$ , but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-



## Part IV

For each question, use the specific criteria to award a maximum of four credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(37) [4] 0.029, and appropriate work is shown.

[3] Appropriate work is shown, but one computational or rounding error is made.

*or*

[3] Appropriate work is shown to find  $\frac{647.294 - 628.319}{647.294}$  or an equivalent expression, but no further correct work is shown.

*or*

[3] Appropriate work is shown, but the answer is given as a percent.

[2] Appropriate work is shown, but two or more computational or rounding errors are made.

*or*

[2] Appropriate work is shown, but one conceptual error is made, such as dividing by 628.319.

*or*

[2] Appropriate work is shown to find both surface areas, but no further correct work is shown.

[1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.

*or*

[1] Appropriate work is shown to find one surface area, but no further correct work is shown.

*or*

[1] 0.029, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Because different models and brands of graphing calculators may yield slightly different results, an allowance is being provided for Question 38 only of the January 2011 Regents Examination in Integrated Algebra.

(38) [4] 24,435.19 or 24,435.20, and appropriate work is shown.

[3] Appropriate work is shown, but one computational or rounding error is made.

[2] Appropriate work is shown, but two or more computational or rounding errors are made.

*or*

[2] Appropriate work is shown, but one conceptual error is made, such as using an exponential growth formula.

*or*

[2]  $A = 30,000(1 - 0.05)^4$  or an equivalent equation is written, but no further correct work is shown.

[1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.

*or*

[1] 24,435.19 or 24,435.20, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (39) [4] Both inequalities are graphed and shaded correctly, and at least one is labeled, and the solution set is labeled  $S$ .
- [3] Appropriate work is shown, but one graphing error is made, such as drawing a solid line for  $y > -x + 2$  or shading incorrectly, but an appropriate solution set is labeled  $S$ .
- or*
- [3] Both inequalities are graphed and shaded correctly, and the solution set is labeled  $S$ , but the graphs are not labeled or are labeled incorrectly.
- or*
- [3] Both inequalities are graphed and shaded correctly, and at least one is labeled, but the solution set is not labeled or is labeled incorrectly.
- [2] Appropriate work is shown, but two or more graphing errors are made, but an appropriate solution set is labeled  $S$ .
- or*
- [2] Appropriate work is shown, but one conceptual error is made, such as graphing the lines  $y = -x + 2$  and  $y = \frac{2}{3}x + 5$ , but at least one is labeled, and the point of intersection is labeled  $S$ .
- or*
- [2] One of the inequalities is graphed, shaded, and labeled correctly, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one graphing error are made, but an appropriate solution set is labeled  $S$ .
- or*
- [1] The lines  $y = -x + 2$  and  $y = \frac{2}{3}x + 5$  are graphed correctly, and at least one is labeled, but no further correct work is shown.
- or*
- [1] A point in the solution set is identified and shown to be correct by checking in both inequalities, but no graphs are drawn.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-